



PUTTING ACCESS INTO PRACTICE

MEDICAL ABORTION ON YOUR TERMS

ABOUT MIFEPRISTONE ([HTTPS://GENBIOPRO.COM/PRODUCTS/MIFEPRISTONE/PRESCRIBERS/](https://genbiopro.com/products/mifepristone/prescribers/))

PRESCRIBING ([HTTPS://GENBIOPRO.COM/PRODUCTS/MIFEPRISTONE/PRESCRIBERS/PRESCRIBING-MIFEPRISTONE/](https://genbiopro.com/products/mifepristone/prescribers/prescribing-mifepristone/))

ORDERING ([HTTPS://GENBIOPRO.COM/PRODUCTS/MIFEPRISTONE/PRESCRIBERS/ORDERING-MIFEPRISTONE/](https://genbiopro.com/products/mifepristone/prescribers/ordering-mifepristone/))

RESOURCES ([HTTPS://GENBIOPRO.COM/PRODUCTS/MIFEPRISTONE/PRESCRIBERS/ABORTION-RESOURCES/](https://genbiopro.com/products/mifepristone/prescribers/abortion-resources/))

FIND A PHARMACY ([HTTPS://GENBIOPRO.COM/PRODUCTS/MIFEPRISTONE/PRESCRIBERS/ROSTER/](https://genbiopro.com/products/mifepristone/prescribers/roster/))

HOME ([HTTPS://GENBIOPRO.COM/](https://genbiopro.com/)) > GENBIOPRO PRODUCTS ([HTTPS://GENBIOPRO.COM/PRODUCTS/](https://genbiopro.com/products/)) > MIFEPRISTONE
([HTTPS://GENBIOPRO.COM/PRODUCTS/MIFEPRISTONE/](https://genbiopro.com/products/mifepristone/)) > FOR PRESCRIBERS
([HTTPS://GENBIOPRO.COM/PRODUCTS/MIFEPRISTONE/PRESCRIBERS/](https://genbiopro.com/products/mifepristone/prescribers/)) > PHARMACY DIRECTORY

Pharmacy Directory



Below is a list of pharmacy locations that distribute GenBioPro mifepristone.

Please note that not all certified pharmacies dispensing GenBioPro generic mifepristone have elected to be listed here. If you wish to use a pharmacy to dispense, please email info@genbiopro.com (<mailto:info@genbiopro.com>). We can help you find your nearest certified pharmacy.

National pharmacies

CVS Pharmacy

Pharmacy chain filling prescriptions in California, Colorado, Connecticut, DC, Delaware, Hawai'i, Illinois, Massachusetts, Maryland, Maine, Michigan, Minnesota, New Hampshire, New Jersey, Nevada, New Mexico, New York, Oregon, Pennsylvania, Rhode Island, Virginia, Vermont, and Washington.

Honeybee Health

Mail-order pharmacy filling prescriptions in multiple states.

ArloRx

Mail-order pharmacy filling prescriptions in multiple states.

Regional pharmacies

Arizona

Fairmont Pharmacy

(<https://www.fairmontpharmacy.com/>)

5068 N. Central Ave.

Phoenix, AZ

California

ABM Pharmacy (<https://abmpharmacy.com/>)

(<https://allcarerx.net/>) 1385 S. Colorado St.

Glendale, CA

AllCare Pharmacy (<https://allcarerx.net/>)

331 Main St.

Salinas, CA

**Auburn Pharmacy and Compounding**

5643 Auburn St., Suite B
Bakersfield, CA

Calabasas Pharmacy

(<https://www.calabasaspharmacy.com/>)
22277 Mulholland Hwy.
Calabasas, CA

CureStat Rx (<https://curestatrx.com/>)

6725 Mesa Ridge Rd., Suite 230
San Diego, CA

Eddie's Pharmacy (<https://www.eddiespharmacy.com/>)

8408 Beverly Blvd.
Los Angeles, CA

Express Pharmacy

752 E. Arrow Hwy.
Pomona, CA

Haller's Pharmacy and Medical Supply

(<https://www.hallerspharmacy.com/>)
37323 Fremont Blvd.
Fremont, CA

Komoto Pharmacy (<http://www.komotopharmacy.com>)

1017 Ellington St.
Delano, CA

Lynwood Community Pharmacy

3737 Martin Luther King Blvd., #101
Lynwood, CA

Manchester Professional Pharmacy

(<https://www.manchesterprofessionalpharmacy.com/>)
600 W. Manchester Ave.
Los Angeles, CA

Normandy Pharmacy

5112 Hollywood Blvd.
Los Angeles, CA

Normandy Pharmacy 2

12914 B. Sherman Way
North Hollywood, CA

Pucci's Pharmacy (<https://www.puccirx.com/>)

3257 Folsom Blvd.
Sacramento, CA

SMP Pharmacy Northridge (<https://smppharmacy.com/>)

18546 Roscoe Blvd., #102
Northridge, CA

**St. Mary's Pharmacy** (<https://fresno.medicineshoppe.com/>)

3150 E. Shields Ave., Suite 105

Fresno, CA

Sun Pharmacy

2559 S. King Rd., Suite B10

San Jose, CA

TLC Medical Arts Pharmacy(<https://www.tlcmedicalartsparmacy.com/>)

1500 W. West Covina Pkwy., #100

West Covina, CA

Tri City Rx Pharmacy

15940 Quantico Rd., Suite 100

Apple Valley, CA

USC Medical Plaza Pharmacy(<https://pharmacies.usc.edu/pharmacies/medical-plaza-pharmacy/>)

1510 San Pablo St., Suite 144

Los Angeles, CA

Valley Medical Pharmacy

630 Main St.

Brawley, CA

VM Pharmacy (<https://www.vmpharmacy.net>)

12626 South St.

Cerritos, CA

Wellspring Pharmacy (<https://www.wellspringrx.com/>)

4184C Piedmont Ave.

Oakland, CA

West Alondra Medical Pharmacy

1410 W. Alondra Blvd.

Compton, CA

Wilmington Pharmacy

12021 Wilmington Ave., Bldg. 11, Suite 1600

Los Angeles, CA

Connecticut

St. Francis Rx #1

100 Woodland St.

Hartford, CT

St. Francis Rx #2

131 Coventry St.

Hartford, CT



Illinois

Rush University Professional Office Building Pharmacy

(<https://www.rush.edu/locations/professional-building-pharmacy>)

1725 W Harrison St., Suite 418

Chicago, IL

Southern Illinois University at Edwardville Pharmacy

(<https://www.siu.edu/counseling-health/>)

58 Circle Drive, Student Success Center Room 0230

Edwardsville, IL

Kansas

Hodgeman County Pharmacy

519 N. Main St.

Jetmore, KS

Maryland

High St. Discount Pharmacy

(<https://waldorfdiscountpharmacy.com>)

30 High St.

Waldorf, MD

Lifeline Specialty Pharmacy

(<https://www.lifelinespecialtypharmacy.com/>)

6304 Woodside Ct., Suite 100

Columbia MD

SMP Pharmacy Mid-Atlantic (<https://smppharmacy.com/>)

9601 Blackwell Rd., #230

Rockville, MD

UMMC Pharmacy at Redwood

(<https://www.umms.org/ummc/locations/redwood-pharmacy>)

11 Paca St.

Baltimore, MD



Michigan

OptiMed Pharmacy (<https://www.optimedhp.com/>)
100 Oakland Dr.
Kalamazoo, MI

Nevada

A1C Pharmacy (<https://a1cpharmacy.com/>)
4601 West Sahara Avenue, #P
Las Vegas, NV

Renown Pharmacy (<https://www.renown.org/Health-Services/Pharmacy>)
21 Locust St.
Reno, NV

Renown Pharmacy (<https://www.renown.org/Health-Services/Pharmacy>)
75 Pringle Way
Reno, NV

Renown Pharmacy (<https://www.renown.org/Health-Services/Pharmacy>)
10101 Double R Blvd.
Reno, NV

New Jersey

Boyt Drugs (<https://www.boytdrugs.com>)
411 Main St.
Metuchen, NJ

New York

Beacon Pharmacy (<https://www.beaconpharmacyrx.com/>)
103 Main St.
Port Washington, NY

eScript360 NYC (<https://www.escript360.com/index.html>)
1299 1st Avenue
New York, NY

Genesee Campus Apothecary
(<http://www.rochesterhealth.com/healthcaredirectory/apr ofile/A000000078/the-genesee-campus-apothecary>)
89 Genesee St.
Rochester, NY

**Glen Head Pharmacy** (<https://www.glenheadrx.com/>)

699 Glen Cove Ave.

Glen Head, NY

Globe Drug Store (<https://globedrugstore.net/>)

405 86th St.

Brooklyn, NY

Guardian Apothecary(<https://www.guardianapothecaryrx.com/>)

2509 Astoria Blvd., Suite 2

Astoria, NY

Harpell Chemists (<https://harpellrx.com//contact/>)

12-65 150th St.

Whitestone NY

Hunold Pharmacy (<https://www.hunoldpharmacy.com/>)

94 Main St.

Port Washington, NY

Medford Chemists (<https://rx.medfordchemists.com/>)

5608 Route 112

Medford, NY

Roslyn Pharmacy (<https://www.roslynrx.com/>)

1314 Old Northern Blvd.

Roslyn, NY

Sunway Pharmacy

5723 5th Ave.

Brooklyn, NY

Rhode Island

Lifespan Pharmacy (<http://lifespan.org>)

593 Eddy St., Davol Building

Providence, RI

South Carolina

Sweetgrass Pharmacy and Compounding(<https://www.sweetgrasspharmacy.com/>)

1477 Long Grove Dr., Suite 101

Mt. Pleasant, SC

Virginia

Carilion Medical Center Pharmacy(<http://www.carilionclinic.org/pharmacy>)

3 Riverside Circle



Roanoke, VA

Carilion Clinic Pharmacy RMH

(<http://www.carilionclinic.org/pharmacy>)

2001 Crystal Ave.

Roanoke, VA

Carilion Clinic Pharmacy Riverside

(<http://www.carilionclinic.org/pharmacy>)

1906 Bellevue Ave.

Roanoke, VA

Carilion Clinic Pharmacy New River Valley

(<http://www.carilionclinic.org/pharmacy>)

2900 Tyler Rd.

Christiansburg, VA

Washington

Jim's Pharmacy & Home Health (<https://jimsrx.com/>)

424 E. Second St.

Port Angeles, WA

Multicare Auburn Outpatient Pharmacy

(<https://www.multicare.org/location/auburn-medical-center/auburn-multicare-retail-pharmacy/>)

202 N. Division St.

Auburn, WA

Multicare Covington Clinic Pharmacy

(<https://www.multicare.org/location/multicare-covington-clinic/covington-retail-pharmacy/>)

17700 SE 272nd St., Suite 100

Covington, WA

Multicare Gig Harbor Clinic Pharmacy

(<https://www.multicare.org/location/gig-harbor-medical-park/gig-harbor-retail-pharmacy/>)

4545 Point Foskic Dr. NW, Suite 250

Gig Harbor, WA

Multicare Good Sam Outpatient Pharmacy

(<https://www.multicare.org/location/good-samaritan-hospital/good-samaritan-multicare-retail-pharmacy/>)

401 15th Ave. SE

Pullyallup, WA

Multicare Medical Center ED Pharmacy

(<https://www.multicare.org/location/tacoma-general-hospital/multicare-tacoma-general-hospital-ed->

**pharmacy/)**

315 Martin Luther King Jr. Way
Tacoma, WA

Multicare Rockwood Clinic Pharmacy

(<https://www.multicare.org/location/multicare-rockwood-main-clinic/multicare-rockwood-main-clinic-pharmacy/>)
300 E. 5th Ave.
Spokane, WA

Ostrom's Drug & Gift (<https://ostroms.com/>)

6414 NE Bothell Way
Kenmore, WA

Wisconsin

Meriter Outpatient Pharmacy

(<https://www.unitypoint.org/madison/outpatient-pharmacy.aspx>)
202 S. Park St.
Madison, WI

IMPORTANT SAFETY INFORMATION

Mifepristone tablets, 200 mg is indicated, in a regimen with misoprostol, for the medical termination of intrauterine pregnancy through 70 days gestation.

IMPORTANT SAFETY INFORMATION



WARNING: SERIOUS AND SOMETIMES FATAL INFECTIONS OR BLEEDING

Serious and sometimes fatal infections and bleeding occur very rarely following spontaneous, surgical, and medical abortions, including following Mifepristone tablets, 200 mg use. No causal relationship between the use of Mifepristone tablets, 200 mg and misoprostol and these events has been established.

- **Atypical Presentation of Infection.** Patients with serious bacterial infections (e.g., *Clostridium sordellii*) and sepsis can present without fever, bacteremia, or significant findings on pelvic examination following an abortion. Very rarely, deaths have been reported in patients who presented without fever, with or without abdominal pain, but with leukocytosis with a marked left shift, tachycardia, hemoconcentration, and general malaise. A high index of suspicion is needed to rule out serious infection and sepsis.
- **Bleeding.** Prolonged heavy bleeding may be a sign of incomplete abortion or other complications and prompt medical or surgical intervention may be needed. Advise patients to seek immediate medical attention if they experience prolonged heavy vaginal bleeding.

Because of the risks of serious complications described above, Mifepristone tablets, 200 mg is available only through a restricted program under a Risk Evaluation and Mitigation Strategy (REMS) called the mifepristone REMS Program.

Before prescribing mifepristone, inform the patient about the risk of these serious events. Ensure that the patient knows whom to call and what to do, including going to an Emergency Room if none of the provided contacts are reachable, if they experience sustained fever, severe abdominal pain, prolonged heavy bleeding, or syncope, or if they experience abdominal pain or discomfort, or general malaise (including weakness, nausea, vomiting, or diarrhea) for more than 24 hours after taking misoprostol.


Contraindications

- Administration of Mifepristone tablets, 200 mg and misoprostol for the termination of pregnancy (the “treatment procedure”) is contraindicated in patients with any of the following conditions:
 - Confirmed or suspected ectopic pregnancy or undiagnosed adnexal mass (the treatment procedure will not be effective to terminate an ectopic pregnancy)
 - Chronic adrenal failure (risk of acute adrenal insufficiency)
 - Concurrent long-term corticosteroid therapy (risk of acute adrenal insufficiency)
 - History of allergy to mifepristone, misoprostol, or other prostaglandins (allergic reactions including anaphylaxis, angioedema, rash, hives, and itching have been reported)
 - Hemorrhagic disorders or concurrent anticoagulant therapy (risk of heavy bleeding)
 - Inherited porphyrias (risk of worsening or of precipitation of attacks)
- Use of Mifepristone tablets, 200 mg and misoprostol for termination of intrauterine pregnancy is contraindicated in patients with an intrauterine device (“IUD”) in place (the IUD might interfere with pregnancy termination). If the IUD is removed, Mifepristone tablets, 200 mg may be used.

Warnings and Precautions

Infection and Sepsis

- As with other types of abortion, cases of serious bacterial infection, including very rare cases of fatal septic shock, have been reported following the use of Mifepristone tablets, 200 mg. Healthcare providers evaluating a patient who is undergoing a medical abortion should be alert to the possibility of this rare event.



A sustained (> 4 hours) fever of 100.4°F or higher, severe abdominal pain, or pelvic tenderness in the days after a medical abortion may be an indication of infection.

A high index of suspicion is needed to rule out sepsis (e.g., from *Clostridium sordellii*) if a patient reports abdominal pain or discomfort or general malaise (including weakness, nausea, vomiting, or diarrhea) more than 24 hours after taking misoprostol. Very rarely, deaths have been reported in patients who presented without fever, with or without abdominal pain, but with leukocytosis with a marked left shift, tachycardia, hemoconcentration, and general malaise. No causal relationship between Mifepristone tablets, 200 mg and misoprostol use and an increased risk of infection or death has been established. *Clostridium sordellii* infections have also been reported very rarely following childbirth (vaginal delivery and caesarian section), and in other gynecologic and non-gynecologic conditions.

Uterine Bleeding

- Uterine bleeding occurs in almost all patients during a medical abortion. Prolonged heavy bleeding (soaking through two thick, full-size sanitary pads per hour for two consecutive hours) may be a sign of incomplete abortion or other complications, and prompt medical or surgical intervention may be needed to prevent the development of hypovolemic shock. Counsel patients to seek immediate medical attention if they experience prolonged heavy vaginal bleeding following a medical abortion.
- Women should expect to experience vaginal bleeding or spotting for an average of 9 to 16 days. Women report experiencing heavy bleeding for a median duration of 2 days. Up to 8% of all subjects may experience some type of bleeding for 30 days or more. In general, the duration of bleeding and spotting increased as the duration of the pregnancy increased.
- Decreases in hemoglobin concentration, hematocrit, and red blood cell count may occur in patients who bleed heavily.
- Excessive uterine bleeding usually requires treatment by uterotonics, vasoconstrictor drugs, surgical uterine evacuation, administration of saline infusions, and/or blood transfusions. Based on data from several large clinical trials, vasoconstrictor drugs were used in 4.3% of all subjects, there was a decrease in hemoglobin of more than 2 g/dL in 5.5% of subjects, and blood transfusions were administered to ≤ 0.1% of subjects. Because heavy bleeding requiring surgical uterine evacuation occurs in about 1% of patients, special care should be given to patients with hemostatic disorders, hypocoagulability, or severe anemia.

Mifepristone REMS Program

Mifepristone tablets, 200 mg is available only through a restricted program under a REMS called the mifepristone REMS Program, because of the risks of serious complications.

Notable requirements of the mifepristone REMS Program include the following:

- Prescribers must be certified with the program by completing the Prescriber Agreement Form (/prescriberagreement).
- Patients must sign a Patient Agreement Form (/patientagreement).
- Mifepristone tablets, 200 mg must be dispensed to patients by or under the supervision of a certified prescriber, or by certified pharmacies on prescriptions issued by certified prescribers.

Further information is available at 1-855-643-3463.

Ectopic Pregnancy

Mifepristone tablets, 200 mg is contraindicated in patients with a confirmed or suspected ectopic pregnancy because mifepristone is not effective for terminating ectopic pregnancies. Healthcare providers should remain alert to the possibility that a patient who is undergoing a medical abortion could have an undiagnosed ectopic pregnancy

because some of the expected symptoms experienced with a medical abortion (abdominal pain, uterine bleeding) may be similar to those of a ruptured ectopic pregnancy. The presence of an ectopic pregnancy may have been missed even if the patient underwent ultrasonography prior to being prescribed Mifepristone tablets, 200 mg. (//)

Patients who became pregnant with an IUD in place should be assessed for ectopic pregnancy.

Rhesus Immunization

The use of Mifepristone tablets, 200 mg is assumed to require the same preventive measures as those taken prior to and during surgical abortion to prevent rhesus immunization.

Adverse Reactions

Most common adverse reactions (>15%) are nausea, weakness, fever/chills, vomiting, headache, diarrhea, and dizziness.

For additional information about mifepristone, see the Full Prescribing Information (<https://www.genbiopro.com/mifepi>), including Boxed Warning.



© 2019 - 2026 GenBioPro. All Rights Reserved.

COMPANY

ABOUT GENBIOPRO

([HTTPS://GENBIOPRO.COM/ABOUT-GENBIOPRO/](https://genbiopro.com/about-genbiopro/))

BLOG ([HTTPS://GENBIOPRO.COM/ABOUT-GENBIOPRO/BLOG/](https://genbiopro.com/about-genbiopro/blog/))

COMMUNITY SUPPORT PROGRAM
([HTTPS://GENBIOPRO.COM/ABOUT-GENBIOPRO/COMMUNITY-SUPPORT/](https://genbiopro.com/about-genbiopro/community-support/))

LEGAL ADVOCACY ([HTTPS://GENBIOPRO.COM/ABOUT-GENBIOPRO/LEGAL-ADVOCACY/](https://genbiopro.com/about-genbiopro/legal-advocacy/))

TERMS OF USE ([HTTPS://GENBIOPRO.COM/TERMS-OF-USE/](https://genbiopro.com/terms-of-use/))

PRIVACY POLICY ([HTTPS://GENBIOPRO.COM/PRIVACY-POLICY/](https://genbiopro.com/privacy-policy/))

STATEMENT REGARDING COMPLIANCE WITH
CALIFORNIA HEALTH & SAFETY CODE § 119402



([HTTPS://GENBIOPRO.COM/CALIFORNIA-HEALTH-SAFE-CODE-119402/](https://genbiopro.com/california-health-safe-code-119402/))



PRODUCTS

MIFEPRISTONE

([/PRODUCTS/MIFEPRISTONE/PRESCRIBERS/ABOUT-MIFEPRISTONE/](/products/mifepristone/prescribers/about-mifepristone/))

Prescribers

([Https://Genbiopro.Com/Products/Mifepristone/Prescribers/About-Mifepristone/](https://genbiopro.com/products/mifepristone/prescribers/about-mifepristone/))

Pharmacies

([Https://Genbiopro.Com/Products/Mifepristone/Pharmacy/](https://genbiopro.com/products/mifepristone/pharmacy/))

Patients

([Https://Genbiopro.Com/Products/Mifepristone/Patient/](https://genbiopro.com/products/mifepristone/patient/))

Full Prescribing Information ([/Mifepristone/](/mifepristone/))

FIND A CERTIFIED PHARMACY ([/Roster/](/roster/))

MISOPROSTOL

([/PRODUCTS/MISOPROSTOL/PRESCRIBERS/](/products/misoprostol/prescribers/))

Prescribers

([Https://Genbiopro.Com/Products/Misoprostol/Prescribers/](https://genbiopro.com/products/misoprostol/prescribers/))

Full Prescribing Information ([/Misoprostol/](/misoprostol/))

CONTACT US

CONTACT US ([/CONTACT-US/](/contact-us/))

For Questions:

1-855-643-3463

info@genbiopro.com (<mailto:info@genbiopro.com>)